

Property	3M™ Novec™ 71DA	ETI 71DA	Next HD Pro 43A	EnSolv Plus
Cost Comparison	\$\$\$\$	\$\$	\$	\$\$\$\$
Replacement Type		Exact Molecule	Drop-In Replacement	PFAS-Free Drop-In Replacement
Cleaning Performance	Medium Duty	Medium Duty	Medium Duty	Heavy Duty
Boiling Point	104 °F / 40 °C	104 °F / 40 °C	102 °F / 39 °C	114 °F / 46 °C
Vapor Pressure	381 mmHg	381 mmHg	368 mmHg	341 mmHg
Liquid Density	1.33 g/cm3	1.33 g/cm3	1.36 g/cm3	1.27 g/cm3
Surface Tension	16.4 dynes/cm	16.4 dynes/cm	17 dynes/cm	22 dyne/cm
Kauri-Butanol Value	33	25	63	118
Global Warming Potential (GWP)	Low	Low	Low	<1
Ozone Depletion Potential (ODP)	None	None	None	None
Flash Point	None	None	None	None