



Property	3M™ Novec™ 71IPA	ETI 71IPA	EnSolv Fluoro IPA
Cost Comparison	\$\$\$\$	\$\$	\$
Replacement Type		Exact Molecule	Drop-In Replacement
Cleaning Performance	Light Duty	Light Duty	Light Duty
Boiling Point	131 °F / 55 °C	131 °F / 55 °C	129 °F / 54 °C
Vapor Pressure	207 mmHg	207 mmHg	232 mmHg
Liquid Density	1.48 g/cm ³	1.48 g/cm ³	1.43 g/cm ³
Surface Tension	14.5 dynes/cm	14.5 dynes/cm	17 dynes/cm
Kauri-Butanol Value	8	9	15
Global Warming Potential (GWP)	Low	Low	Low
Ozone Depletion Potential (ODP)	None	None	None
Flash Point	None	None	None