

Property	3M™ Novec™ 72DE	ETI 72DE	Next HD Pro 70	EnSolv Plus
Cost Comparison	\$\$\$\$	\$\$	\$	\$\$\$\$
Replacement Type		Exact Molecule	Drop-In Replacement	PFAS-Free Drop-In Replacement
Cleaning Performance	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty
Boiling Point	109 °F / 43 °C	109 °F / 43 °C	108 °F / 42 °C	114 °F / 46 °C
Vapor Pressure	350 mmHg	350 mmHg	368 mmHg	341 mmHg
Liquid Density	1.28 g/cm3	1.28 g/cm3	1.30 g/cm3	1.27 g/cm3
Surface Tension	19 dynes/cm	19 dynes/cm	18 dynes/cm	22 dyne/cm
Kauri-Butanol Value	52	52	74	118
Global Warming Potential (GWP)	Low	Low	Low	<1
Ozone Depletion Potential (ODP)	None	None	None	None
Flash Point	None	None	None	None